


Supplementary Material

Identification of Major *Tephritidae* Pest Species of *Kinnow* in Pakistan and First DNA Barcoding of *Bactrocera scutellaris* in Gilgit-Baltistan

Anbareen Gul, Muhammad Bilal Ur Ramzan, Syed Hamid Jalal Shah and Javaria Qazi*

Molecular Virology and Epidemiology Laboratory, Department of Biotechnology,
Faculty of Biological Sciences, Quaid-i-Azam University, Islamabad, Pakistan





Supplementary Fig. 1. Image of *B. dorsalis*: (a) represents the size of the fly, (b) highlights the scutum, (c) shows the abdomen with a T-shaped pattern, and (d) indicates the wing with a dark costal band.


* Corresponding author: javariaqazi@qau.edu.pk
0030-9923/2026/0004-1799 \$ 9.00/0




Copyright 2026 by the authors. Licensee Zoological Society of Pakistan.

This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).





Supplementary Fig. 4. Image of *Z. tau*: (a) represents the size of the fly, (b) highlights the scutum having three yellow vitae, (c) shows the abdomen with T shaped pattern, (d) indicates the wing with dark costal band, dark anal streak and prominent apical spot at R4+5 vein.



Supplementary Fig. 5. Image of *Z. scutellaris*: (a) represents the size of the fly, (b) highlights the scutum having three narrow yellow vitae, (c) shows abdomen with fused tergites, (d) indicates the wing with apical spot at R4+5 vein.